

PowerSpin™ BX Centrifuge

Model: C882



- POWERSPIN™ BX CENTRIFUGE
- VARIABLE SPEED 1000-11000 RPM
- 24 PLACE MICROHEMATOCRIT ROTOR
- 99 MIN DIGITAL TIMER
- CAPACITY 24 MICROHEMATOCRIT TUBES
- POWER INPUT 110 V



The C882 BX Microhematocrit Centrifuge is a high-performance centrifuge designed for precise and efficient hematocrit determinations. With a maximum speed of 11,000 RPM, it ensures rapid processing of samples. Its 24-place capacity allows for the simultaneous processing of multiple samples, making it ideal for busy laboratories. This 110V version is built for reliable operation and features user-friendly controls. The centrifuge is designed with safety features and a compact footprint, making it a valuable tool for clinical and research settings requiring accurate hematocrit measurements.



ADDITIONAL INFORMATION

TOP SELECTION	No
ACCESSORIES	<p>Accessories (Sold Separately)</p> <p>C880-08 Fixed Angle Rotor, 8 place</p> <p>C880-02 Microhematocrit Rotor, 24 place</p> <p>C880-03 Microtube rotor, 24 place</p> <p>C880-10 BX Rotor Rack</p> <p>C881-03 Short tube adapter, for 13x75mm tubes</p> <p>C881-04 Micro / Pediatric tube adapter for 0.5-2.0ml tubes</p>
SPECIFICATION	<p>Rotor Fixed Angle, 24 place for Microhematocrit tubes</p> <p>Speed Range 1,000 to 11,000RPM±1%</p> <p>Maximum RCF(g) 11,634g</p> <p>Timer Range 0-99 minutes LCD</p> <p>Max. Rotor Capacity 8 x 10ml or 8x12ml</p> <p>Dimension 270mm x 320mm x 220mm</p>
SIZE AND WEIGHT	<p>Size 10.5 in x 12.5 in x 9 in (270 mm x 320 mm x 220 mm)</p> <p>Shipping Size 14 in x 15 in x 12 in (350 mm x 375 mm x 300 mm)</p> <p>Weight 15.5 lbs (C881 & C882); 16.5 lbs (C883)</p> <p>Shipping Weight 19 lbs (C881 and C882); 20 lbs (C883)</p>
WARRANTY	1 years

