

PowerSpin™ BX Centrifuge

Model: C883



- POWERSPIN™ BX CENTRIFUGE
- VARIABLE SPEED 1000-11000 RPM
- 24 PLACE MICROTUBE ROTOR
- 99 MIN DIGITAL TIMER
- CAPACITY 24 MICROTUBES
- POWER INPUT 110 V



The BX Microcentrifuge is a high-performance microcentrifuge designed for rapid separation of biological samples. It has a 24-place rotor that can accommodate 24 tubes with a capacity of 1.5-2 mL each. The maximum speed is 11,000 RPM, and it is compatible with 110V power. The built in oversized LCD Display provides real time data to the user. With the push of a button you can speed up or slow down the rotor within 1,000 - 11,000 RPM range (Max 5000 RPM with the Blood Tube Rotor). Maintenance free brushless DC motor is powerful and super quiet. The cover of the Microhematocrit rotor incorporates a reader, allowing for instant reading and eliminating the need for additional specimen handling.



ADDITIONAL INFORMATION

TOP SELECTION	No
ACCESSORIES	<p>Accessories (Sold Separately)</p> <p>C880-08 Fixed Angle Rotor, 8 place</p> <p>C880-02 Microhematocrit Rotor, 24 place</p> <p>C880-03 Microtube rotor, 24 place</p> <p>C880-10 BX Rotor Rack</p> <p>C881-03 Short tube adapter, for 13x75mm tubes</p> <p>C881-04 Micro / Pediatric tube adapter for 0.5-2.0ml tubes</p>
SPECIFICATION	<p>Rotor Fixed Angle, 24 place Micro Centrifuge Tubes</p> <p>Speed Range 1,000 - 11,000 RPM</p> <p>Maximum RCF(g) 11093g</p> <p>Timer Range 0-99 minutes LCD</p> <p>Max. Rotor Capacity 24 x 1.5ml or 2ml</p> <p>Maximum Test Tube Size 1.5 x 75 mm</p> <p>Dimension 270mm x 320mm x 220mm</p>
SIZE AND WEIGHT	<p>Size 10.5 in x 12.5 in x 9 in (270 mm x 320 mm x 220 mm)</p> <p>Shipping Size 14 in x 15 in x 12 in (350 mm x 375 mm x 300 mm)</p> <p>Weight 15.5 lbs (C881 & C882); 16.5 lbs (C883)</p> <p>Shipping Weight 19 lbs (C881 and C882) ; 20 lbs (C883)</p>
WARRANTY	1 years

